



2012 EDITION

Buy Online at [www.toolsandsuppliesforless.net](http://www.toolsandsuppliesforless.net)



As always...

**NO MINIMUM!**

*YOU CAN ORDER JUST ONE CASE.*

**FREE SHIPPING!**

EVERY ORDER\*



\*On case packs shipping within the continental U.S.

**Buy Online at [www.toolsandsuppliesforless.net](http://www.toolsandsuppliesforless.net)**

# A message from our president.



Founded in 1994, Bully Tools has been proudly producing 100% American made tools. We control our quality and costs with in-house manufacturing from our state-of-the-art facilities designed and built in 2006 in Steubenville, Ohio.

Our in house operations include stamping, robotic welding, plasma cutting, heat treating, tempering, powder coating and product design. This not only guarantees the quality, durability and reliability of our products, but our future as well.

The strategic location of our plant allows for affordable, pre-paid drop shipping on EVERY\* order - NO MINIMUMS! Our products reach our customers in a maximum of four days at a price LOWER than imported tools of an equal or lesser quality.

With an unprecedented history of quality, Bully Tools is committed to applying the same reliability to our business practices. We continue to grow and adapt to meet the ever changing needs of the economy and of our consumers.

Mark Gracy, Founder  
Bully Tools



## INDEX

---

### PAGES

6-14 Shovels, Scoops, Specialty Shovels  
15 Post Hole Diggers and Tampers  
16-17 Rakes  
18-20 Garden Hoes, Weeders, Sod Lifter  
20-22 Home Gardening Tools  
23-25 Agricultural, Brush Clearing Tools and Forks  
26-27 Heavy Duty Scrapers, Edgers and Diggers

---


### PAGES

28-29 Asphalt and Concrete Tools  
30 Flooring Material Removers  
31-32 Roofing Material Removers and Framing Tools  
33 Fire Fighting and Forestry Tools  
34 Municipal Tools  
35 Merchandising


# FEATURES OF OUR DIGGING TOOLS




Welded "I-beam" support, as well as the extended and crimped ferrule, ensures no excessive bending.



Strong rivet secures the ferrule to the fiberglass handle.



All Planting Spades feature a sharpened edge to penetrate dense soil and sod.



Our shovels are up to 30% thicker than competitor models. True 14 gauge.

1" Forward step provides greater control.



Resin Bonded  
Glass Strands

Matt

Polyester Veil

Our high-strength pultruded fiberglass handles provide us with the benefits of strength as well as corrosion, heat and weather resistance. This cost-effective element enables us to provide our customers with quality products at affordable prices.




Wide D-grip  
accommodates  
work gloves.



Strong rivet secures  
the D-grip to the  
fiberglass handle.



Thick fiberglass with  
a wood reinforcing core  
for maximum handle strength.



All shovels have a closed  
back to eliminate debris build up.  
Ribs provide additional strength.



North American  
Ash handles

**TRUE  
14 GAUGE**  
Remember how they used to be made?

**FEATURES:**

- True 14 Gauge blade
- Closed back design eliminates debris build-up
- Support rib adds strength
- American Ash handle
- Extended length ferrule
- Forward step



All shovels have a closed back to eliminate debris build up.



## Commercial Grade - Ash

Model	Description	Case Qty./ Wt.
A 72515	14 Ga. Round Point Shovel. American Ash Long Handle. Closed back, support rib for strength, extended length ferrule. Blade: 9.25"x11", handle: 46.5", tool length: 57.5".	5/26
B 72525	14 Ga. Square Point Shovel. American Ash Long Handle. Closed back, support rib for strength, extended length ferrule. Blade: 9.5"x12", handle: 46", tool length: 56.75".	5/28
C 72530	14 Ga. 14" Drain Spade. American Ash Long Handle. Closed back, extended length ferrule. Blade: 5.24"x14", handle: 45", tool length: 57".	6/26
D 72502	14 Ga. Edging and Planting Spade. American Ash Long Handle. Closed back, extended length ferrule. Blade: 7.5"x13", handle: 44", tool length: 57".	5/27

**TRUE  
14 GAUGE**  
Remember how they used to be made?



True 14 gauge steel. Up to 30% thicker than the competition.



## Commerical Grade - Ash

Model	Description	Case Qty./ Wt.
A 72510	14 Ga. Round Point Shovel. American Ash D-grip Handle. Closed back, support rib for strength, extended length ferrule. Blade: 9.25"x11", handle: 31.5", tool length: 42.375".	5/24
B 72520	14 Ga. Square Point Shovel. American Ash D-grip Handle. Closed back, support rib for strength, extended length ferrule. Blade: 9.5"x12", handle: 31", tool length: 42.25".	5/26
C 72535	14 Ga. 14" Drain Spade. American Ash D-grip Handle. Closed back, extended length ferrule. Blade: 5.24"x14", handle: 30", tool length: 44".	6/23
D 72500	14 Ga. Edging and Planting Spade. American Ash D-grip Handle. Closed back, extended length ferrule. Blade: 7.5"x13", handle: 28.5", tool length: 40".	6/29

Buy Online at [www.toolsandsuppliesforless.net](http://www.toolsandsuppliesforless.net)



Fiberglass handles feature a solid wood core.



No handle break-through. One piece ferrule won't separate.




No seam.



## Heavy Duty Commercial Grade - Fiberglass

Model	Description	Case Qty./ Wt.
A 82515	14 Ga. Round Point Shovel. Fiberglass Long Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.25"x11", handle: 48.5", tool length: 59.25".	5/27
B 82525	14 Ga. Square Point Shovel. Fiberglass Long Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x12", handle: 49", tool length: 59.25".	5/30
C 82530	14 Ga. 14" Drain Spade. Fiberglass Long Handle. Closed back, reinforced handle, extended length ferrule. Blade: 5.24"x14", handle: 42", tool length: 56".	6/31
D 82502	14 Ga. Edging and Planting Spade. Fiberglass Long Handle. Closed back, reinforced handle, extended length ferrule. Blade: 7.5"x13", handle: 44.5", tool length: 58.25".	5/27

**TRUE  
14 GAUGE**  
Remember how they used to be made?



All shovels are closed back.



## Heavy Duty Commercial Grade - Fiberglass

Model	Description	Case Qty./ Wt.
A 82510	14 Ga. Round Point Shovel. Fiberglass D-grip Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x12", handle: 33", tool length: 44".	5/25
B 82520	14 Ga. Square Point Shovel. Fiberglass D-grip Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x12", handle: 33", tool length: 44".	5/32
C 82535	14 Ga. 14" Drain Spade. Fiberglass D-grip Handle. Closed back, reinforced handle, extended length ferrule. Blade: 5.24"x14", handle: 32", tool length: 45.5".	6/27
D 82500	14 Ga. Edging and Planting Spade. Fiberglass D-grip Handle. Closed back, reinforced handle, extended length ferrule. Blade: 7.5"x13", handle: 27", tool length: 40".	6/32



**FEATURES:**

- 12 Gauge blade
- Closed back design eliminates debris build-up
- Support rib adds strength
- Extended length ferrule
- Forward step

12 Ga. spades are sharpened for better digging.



## Super Heavy Duty Commercial Grade - Fiberglass

Model	Description	Case Qty./ Wt.
A 92515	12 Ga. Round Point Shovel. Fiberglass Long Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.25"x11", handle: 48.5", tool length: 59.25".	5/30
B 92530	12 Ga. 14" Drain Spade. Fiberglass Long Handle. Closed back, reinforced handle, extended length ferrule. Blade: 5.24"x14", handle: 42", tool length: 56".	6/32
C 92502	12 Ga. Edging and Planting Spade. Fiberglass Long Handle. Closed back, reinforced handle, extended length ferrule. Blade: 7.5"x13", handle: 44.5", tool length: 58.25".	5/31
D 92510	12 Ga. Round Point Shovel. Fiberglass D-grip Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x12", handle: 33", tool length: 44".	5/29
E 92535	12 Ga. 14" Drain Spade. Fiberglass D-grip Handle. Closed back, reinforced handle, extended length ferrule. Blade: 5.24"x14", handle: 32", tool length: 45.5".	6/28
F 92500	12 Ga. Edging and Planting Spade. Fiberglass D-grip Handle. Closed back, reinforced handle, extended length ferrule. Blade: 7.5"x13", handle: 27", tool length: 40".	5/27



## Ace of Spades - 100% Steel

Model	Description	Case Qty./ Wt.
A 92600	13" Ace of Spades, Steel D-grip Handle, 12 Ga., closed back. Blade: 7.25x13", handle: 28", tool length: 41".	5/34
B 92601	15" Ace of Spades, Steel D-grip Handle, 12 Ga., closed back. Blade: 7.25x15", handle: 28", tool length: 43".	5/37
C 92602	15" Ace of Spades, Steel Long Handle, 12 Ga., closed back. Blade: 7.25x15", handle: 50", tool length: 65".	5/38
D 92603	15" Ace of Spades, Pointed Tip, Steel D-grip Handle, 12 Ga., closed back. Blade: 7.25x15", handle: 28", tool length: 43".	5/37
E 92604	15" Ace of Spades, Serrated Edge, Steel D-grip Handle, 12 Ga., closed back. Blade: 5.5x11.5", handle: 27", tool length: 38.5".	5/37
F 92605	15" Ace of Spades, Serrated Edge, Steel T-style Handle, 12 Ga., closed back. Blade: 5.5x11.5", handle: 24.5", tool length: 36".	5/37



## Trench Shovels

Model	Description	Case Qty./ Wt.
A 92719	3" Trench Shovel. Fiberglass Long Handle. 14 Ga., closed back, reinforced handle, extended length ferrule. Blade: 3"x12", handle: 47", tool length: 59".	5/19
B 92720	4" Trench Shovel. Fiberglass Long Handle. 14 Ga., closed back, reinforced handle, extended length ferrule. Blade: 4"x12", handle: 47", tool length: 59".	5/21
C 92721	5" Trench Shovel. Fiberglass Long Handle. 14 Ga., closed back, reinforced handle, extended length ferrule. Blade: 5"x12", handle: 47", tool length: 59".	5/22
D 92722	6" Trench Shovel. Fiberglass Long Handle. 14 Ga., closed back, reinforced handle, extended length ferrule. Blade: 6"x12", handle: 47", tool length: 59".	5/23
E 92730	4" Box Style Trench Shovel. Fiberglass Long Handle. 14 Ga., 2" sides, closed back, reinforced handle, extended length ferrule. Blade: 4"x12", handle: 47", tool length: 59".	5/25
F 92731	6" Box Style Trench Shovel. Fiberglass Long Handle. 14 Ga., 2" sides, closed back, reinforced handle, extended length ferrule. Blade: 6"x12", handle: 47", tool length: 59".	5/29



Holes on the Mud Shovels provide drainage when working in wet soils.

Both USA pattern and plain available in Long Handle and D-grip.



## Specialty Shovels

Model	Description	Case Qty./ Wt.
A 72600	Ceremonial Shovel - Silver, "USA" Pattern. Round Point. American Ash D-grip Handle. 14 Ga., closed back, support rib, extended length ferrule. Blade: 9.25"x11", handle: 31.5", tool length: 42.375".	5/24
B 72611	Ceremonial Shovel - Silver. Round Point. American Ash Long Handle. 14 Ga., closed back, support rib, extended length ferrule. Blade: 9.25"x11", handle: 46.5", tool length: 57.5".	5/26
C 92705	Mud Shovel - "USA" Pattern. Fiberglass Long Handle. Round Point, 14 Ga., closed back, support rib, extended length ferrule. 71 drain holes, reinforced handle. Blade: 9.25"x11", handle: 48.5", tool length: 59".	5/26
D 92700	Mud Shovel - "USA" Pattern. Fiberglass D-grip Handle. Round Point, 14 Ga., closed back, support rib, extended length ferrule. 71 drain holes, reinforced fiberglass handle. Blade: 9.25"x11", handle: 33", tool length: 45".	5/24
E 92712	Trunk Shovel. Steel D-grip Handle. Round Point, 14 Ga., closed back. Blade: 9.25"x12", handle: 24.25", tool length: 32.75".	5/17
F 72601	Not Shown - Ceremonial Shovel - Silver "USA" Pattern. Round Point, American Ash Long Handle, 14 Ga. Tool length: 57.5".	5/26
G 72610	Not Shown - Ceremonial Shovel - Silver. Round Point, American Ash D-grip Handle, 14 Ga. Tool length: 42.375".	5/24



## Specialty Shovels and Scoops

Model	Description	Case Qty./ Wt.
A 92707	Tooth Shovel. Fiberglass Long Handle. 12 Ga., 2" Teeth, closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.25"x11", handle: 48.5", tool length: 59.375".	5/29
B 92706	Caprock/Pony Shovel. Fiberglass Long Handle. 12 Ga., closed back, reinforced handle, extended length ferrule. Blade: 10"x9", handle: 48.5", tool length: 59.375".	5/30
C 92718	Irrigation Shovel. Fiberglass Long Handle. 12 Ga., closed back, sharpened blade, foot step, support rib for strength, reinforced handle, extended length ferrule. Blade: 7.25"x9.5", handle: 48.5", tool length: 57.25 (4" Lift)	5/27
D 92717	Irrigation Shovel. American Ash Long Handle. 12 Ga., closed back, sharpened blade, foot step, support rib for strength, reinforced handle, extended length ferrule. Blade: 7.25"x9.5", handle: 46.5", tool length: 55.375". (4" Lift)	5/25
E 92704	Rice Shovel. Fiberglass Long Handle. 14 Ga., 3 drain holes, closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9"x10", handle: 48.5", tool length: 59.375".	5/30
F 92400	Mulch/Snow Scoop. Fiberglass D-grip Handle. Poly scoop. Scoop: 15"x19.75", 4.5" deep, handle: 33.75", tool length: 53.5".	6/23
G 92402	AlumiNy Mulch/Snow Scoop. Fiberglass D-grip Handle. Nylon/Aluminum blend. Scoop: 15"x19.75", 4.5" deep, handle: 33.75", tool length: 53.5".	6/24



## Post Hole Diggers / Tampers and Bars

Model	Description	Case Qty./ Wt.
A 92382	5.5" Post Hole Digger. Fiberglass Handles. 12 Ga., reinforced handles. Blades: 9"x5", handle: 47", tool length: 59.5".	3/28
B 92384	7" Post Hole Digger. Fiberglass Handles. 12 Ga., reinforced handles. Blades: 9"x6.5", handle: 47", tool length: 59.5".	3/32
C 92540	Tamper. 9.75"x9.75", 3/8" thick steel plate, steel handle. Tool length: 49". (ships disassembled)	4/65
D 92539	Tamping and Digging Bar. 69". 1" Diameter solid steel bar, 3/8" thick plate. Head: 3"x5", tool length: 69".	4/68
E 92448	Tamping and Digging Bar. 48". 1" Diameter solid steel bar, 3/8" thick plate. Head: 3"x5", tool length: 48".	4/48



Interchangeable rake heads are bolted on for extra stability.

18"

24"


30"

36"

72"


Two-piece design stores easily.

Makes a great dethatching rake.



## Landscaping and Asphalt Rakes

Model	Description	Case Qty./ Wt.
A 92316	18" Landscape Rake. Steel Handle. 18 - 2.5" hardened steel tines, interchangeable head. Head: 18"x3.5", handle: 60, tool length: 61.5".	5/25
B 92320	24" Landscape Rake. Steel Handle. 22 - 2.5" hardened steel tines, interchangeable head. Head: 24"x3.5", handle: 60, tool length: 61.5".	5/28
C 92313	30" Landscape Rake. Steel Handle. 26 - 2.5" hardened steel tines, interchangeable head. Head: 30"x3.5", handle: 60, tool length: 61.5".	5/29
D 92315	36" Landscape Rake. Steel Handle. 32 - 2.5" hardened steel tines, interchangeable head. Head: 36"x3.5", handle: 60, tool length: 61.5".	5/31
E 92308	16" Asphalt Rake. Two-Piece Fiberglass Handle. 7 Ga., 14 tines, 24" 1/2" diameter steel shank. Head: 16"x4", handle: (from head) 71.5, tool length: 72".	5/24
F 92116	Not Shown - 18" Landscape Rake Replacement Head	5/8
G 92120	Not Shown - 24" Landscape Rake Replacement Head	5/10
H 92113	Not Shown - 30" Landscape Rake Replacement Head	5/11
I 92115	Not Shown - 36" Landscape Rake Replacement Head	5/13



## Lawn and Garden Rakes

Model	Description	Case Qty./ Wt.
A 92311	16" Level Head Rake. 60". Fiberglass Handle. 7 Ga., 16 tines, steel head. Head: 16"x4", tool length: 60".	5/19
B 92309	16" Bow Rake. 58". Fiberglass Handle. 12 Ga., 16 tines, steel head. Head: 16"x4", handle: 54.5", tool length: 58".	6/23
C 92317	8" Shrub Rake. American Ash Handle. 10 Spring steel tines. Head: 8"x10", handle: 43", tool length: 53".	5/18
D 92319	8" Shrub Rake. Short Fiberglass Handle. 10 Spring steel tines. Head: 8"x10", tool length: 26.25".	5/11
E 92312	24 Tine Leaf and Dethatching Rake. Fiberglass Handle. 24 Spring steel tines. Head: 24"x16", handle: 50", tool length: 63".	6/25
F 92301	Not Shown - 16" Level Head Rake. 66". Fiberglass Handle. 7 Ga., 16 tines, steel head. Head: 16"x4", tool length: 66".	8/31
G 92379	Not Shown - 16" Bow Rake. 66". Fiberglass Handle. 12 Ga., 16 tines, steel head. Head: 16"x4", handle: 54.5", tool length: 66".	8/32




Dual edged blade cuts weeds when pushed or pulled. Great for cleaning between pavers too.



## Garden Hoes / Weeders - Fiberglass

Model	Description	Case Qty./ Wt.
A 92343	Nursery/Beet Hoe. 7"x3.5". Fiberglass Handle. 12 Ga. Head: 7"x3.5", handle: (from head) 57.5".	5/19
B 92346	Nursery/Beet Hoe. 6"x2.5". Fiberglass Handle. 12 Ga. Head: 6"x2.5", handle: (from head) 57".	5/18
C 92348	Loop Hoe. Fiberglass Handle. 12 Ga. Head: 6"x3.25", handle: (from head) 55".	5/14
D 92353	Garden Hoe. Fiberglass Handle. 12 Ga. Head: 6.5"x4.75", handle: (from head) 56".	6/23
E 92354	Warren Hoe. Fiberglass Handle. 12 Ga. Head: 5"x6.5", handle: (from head) 56".	6/21
F 92351	Cavex Hoe. Fiberglass Handle. 7 Ga. Head: 7.5"x5.5", handle: (from head) 56.5".	6/22
G 92359	Stealth Weeder. Fiberglass Handle. 7 Ga. Head: 3.75"x9.25", handle: (from head) 60".	6/20
H 92357	Two Prong Weeding Hoe. Fiberglass Handle. 12 Ga. Head: 3.75"x9.25", handle: (from head) 50.375".	6/20
I 92395	Bean Hook/Paver Weeder. Fiberglass Handle. 7 Ga. 3" Dual-sided sharpened blade. Steel shank. Blade: 3", handle: (from head) 42", tool length: 43".	6/14
J 92390	Sod Lifter. Fiberglass D-grip Handle. 12 Ga., steel shank. Head: 9"x4.5", handle: (from head) 52".	6/28



## Garden Hoes / Weeders - Ash

Model	Description	Case Qty./ Wt.
A 92344	Nursery/Beet Hoe. 7"x3.5". American Ash Handle. 12 Ga. Head: 7"x3.5", handle: (from head) 50".	5/19
B 92347	Nursery/Beet Hoe. 6"x2.5". American Ash Handle. 12 Ga. Head: 6"x2.5", handle: (from head) 50".	5/19
C 92345	Loop Hoe. American Ash Handle. 12 Ga. Head: 6"x3.25", handle: (from head) 43".	5/14
D 92355	Garden Hoe. American Ash Handle. 12 Ga. Head: 6.5"x4.75", handle: (from head) 51.5".	6/23
E 92349	Warren Hoe. American Ash Handle. 12 Ga. Head: 5"x6.5", handle: (from head) 50.5".	6/23
F 92352	Cavex Hoe. American Ash Handle. 7 Ga. Head: 7.5"x5.5", handle: (from head) 44".	6/22
G 92356	Stealth Weeder. American Ash Handle. 12 Ga. Head: 3.75"x9.25", handle: (from head) 44".	6/22
H 92358	Two Prong Weeding Hoe. American Ash Handle. 12 Ga. Head: 3.75"x9.25", handle: (from head) 44".	6/19



## Home Gardening Tools

Model	Description	Case Qty./ Wt.
A 92323	8" Field Hoe. Fiberglass Handle. 7 Ga. Head: 8"x8.5", handle: (from head) 34.5", tool length 39.75".	4/22
B 92417	Curved Garden Hoe. Fiberglass Handle. 7 Ga. Head: 7"x5.5", handle: (from head) 57.25", tool length: 57.5".	4/13
C 92415	5" Field Hoe. Fiberglass Handle. 7 Ga. Head: 5"x5.5", handle: (from head) 58.5", tool length: 59".	4/16
D 92414	4" Field Hoe. Fiberglass Handle. 7 Ga. Head: 4"x5.5", handle: (from head) 58.5", tool length: 59.5".	4/15
E 92307	7" Level Head Rake. Steel Handle. 12 Ga., 8 tines. Head: 7"x3.75", tool length: 46.375".	5/13
F 92319	8" Shrub Rake. Short Fiberglass Handle. 10 Spring steel tines. Head: 8"x10", tool length: 26.25".	5/11
G 92317	8" Shrub Rake. American Ash Handle. 10 Spring steel tines. Head: 8"x10", handle: 43", tool length: 53".	
H 92710	Floral Spade. American Ash Handle. 14 Ga., closed back, support rib for strength, extended length ferrule. Blade: 6.5"x8.5", handle: 45", tool length: 54.625".	5/18
I 92711	Floral Spade. American Ash D-grip Handle. 14 Ga., closed back, support rib for strength, extended length ferrule. Blade: 6.5"x8.5", handle: 31", tool length: 39.5".	5/20



## Home Gardening Tools

Model	Description	Case Qty./Wt.
A 92305	Bulb Planter. Post Hole Style. Fiberglass Handles. 12 Ga. Blades: 4.25"x6", handles: 43", tool length: 57".	5/37
B 92302	3" Diameter Bulb Planter. Steel T-style Handle. Tube: 3"x9", handle: 26.5", tool length: 36".	5/18
C 92100	Dirt Ripper Cultivator. Steel T-style Handle. Four 1/2" offset beveled steel tines penetrate 8". Handle: 29", tool length: 41.75".	8/45
D 92251	Round Lawn Edger. Steel T-style Handle. 12 Ga. Head: 9"x7", handle: 33", tool length: 38.375".	4/18
E 92300	Root Soaker Irrigation Tool. Steel T-style Handle. 1/2" Diameter tube, pointed tip, hose fitting. Tool length: 38".	6/13
F 92350	Weed Bully Weed Extractor. Steel T-style Handle. 6 - 3" tines pull the weeds quickly. Handle: 33", tool length: 36".	6/20



## Home Gardening Tools

Model	Description	Case Qty./Wt.
A 92150	Dirt Ripper, Jr. 4". All Steel. Beveled tines. Handle: 6", tool length: 10".	5/5
B 92159	7" Level Head Rake. All Steel. 12 Ga., 8 tines. Head: 7"x3.75", tool length: 15.375".	5/7
C 92151	Hand Rake. All Steel. 7"-9" tines. Head: 3" wide, tool length: 18.125".	5/6
D 92153	Japanese Hoe. All Steel. 14 Ga. Blade: 2.75"x4.25", tool length: 11.75".	5/7
E 92158	Oriental Gardening Tool. All Steel. 14 Ga. Blade: 3"x7", tool length: 11.75".	5/6
F 92505	Tulip Spade. All Steel. 14 Ga., 8" T-style handle. Blade: 3.5"x6", tool length: 15.75".	5/9
G 92152	Garden Trowel. All Steel. 14 Ga. Blade: 3.75"x6", tool length: 14".	5/7
H 92154	Transplanting Trowel. All Steel. 14 Ga., depth indicators. Blade: 3"x7", tool length: 15.125".	5/6



## Barn and Brush Clearing


Model	Description	Case Qty./ Wt.
A 92393	22" Machete. All Steel. 12 Ga. Blade: 22"x2.25", tool length: 27".	6/13
B 92361	Livestock Hoe. All Steel. 12 Ga. Blade: 12"x3", tool length: 60.5".	5/24
C 92397	Curved Corn Knife. Fiberglass Handle. 12 Ga., adjustable steel blade. Blade: 16"x1.375", handle: 19".	6/11
D 92391	Grass Hook. All Steel. 12 Ga. Blade: 18"x.75", tool length: 14".	6/15
E 92371	24" Barn Scraper. Fiberglass Handle. 14 Ga., detachable curved blade. Blade: 24"x7.5", handle: 62", tool length: 67".	4/35
F 92392	Weed Cutter. Fiberglass Handle. 12 Ga., sharpened steel blade. Blade: 14"x2.25", handle: 43", tool length: 45".	6/23
G 92399	Grass Whip. Fiberglass Handle. 12 Ga., sharpened steel blade. Blade: 10.5"x2", handle: 38", tool length: 41".	6/19
H 92497	Not Shown - Corn Knife Blade. 12 Ga.	6/5



36" or 40"  
Hickory Handles

## Brush Clearing

Model	Description	Case Qty./ Wt.
A 92376	12" Ditch Bank Blade. 36" Hickory Handle. 12 Ga. Blade: 12"x3.5", tool length: 44.375".	4/19
B 92387	12" Double Edge Brush Hook. 36" Hickory handle. 12 Ga. Blade: 12"x3.5", tool length: 45".	4/23
C 92386	16" Ditch Bank Blade. 36" Hickory Handle. 12 Ga. Blade: 16"x3.5", tool length: 48.375".	4/19
D 92388	12" Single Edge Brush Hook. 36" Hickory Handle. 12 Ga. Blade: 12"x3.5", tool length: 45".	4/23
E 92276	12" Ditch Bank Blade. 40" Hickory Handle. 12 Ga. Blade: 12"x3.5", tool length: 48.375".	4/19
F 92287	12" Double Edge Brush Hook. 40" Hickory Handle. 12 Ga. Blade: 12"x3.5", tool length: 49".	4/23
G 92286	16" Ditch Bank Blade. 40" Hickory Handle. 12 Ga. Blade: 16"x3.5", tool length: 52.375".	4/20
H 92288	12" Single Edge Brush Hook. 40" Hickory Handle. 12 Ga. Blade: 12"x3.5", tool length: 49".	4/23
I 92476	Not Shown - Replacement 12" Ditch Bank Blade. 12 Ga.	5/7
J 92487	Not Shown - Replacement 12" Double Edge Brush Hook. 12 Ga.	5/10
K 92486	Not Shown - Replacement 16" Ditch Bank Blade. 12 Ga.	5/11
L 92488	Not Shown - Replacement 12" Single Edge Brush Hook. 12 Ga.	5/10
M 99300	Not Shown - Replacement 36" Hickory Handle.	5/12
N 99301	Not Shown - Replacement 40" Hickory Handle.	5/13



## Cultivating and Agricultural Forks

Model	Description	Case Qty./ Wt.
A 92626	Broadfork. Fiberglass Handles. 7 - 1/2" steel tines, detachable handles. Head: 20"x13", Handles: 43".	4/68
B 92370	Spading Fork. Fiberglass D-grip Handle. 4 Tines, 7"x10" head. Handle: (from head) 32", tool length: 43.875".	5/19
C 92373	Super Fork. Steel D-grip Handle. Extra wide handle, 4 Tines (1/2"), 8.25"x11" head. Handle: (from head) 35", tool length: 46.5".	5/46
D 92341	Corn Fork. Two-piece Fiberglass Handle. 11', 5 Tines, 8.5"x10.5" head. Handle: (from head) 130", tool length: 134". (ships disassembled)	4/34
E 92342	Stall Fork. Fiberglass Handle. 18 Tines, 15"x12" head. Handle: (from head) 49", tool length: 59".	5/21



## Heavy Duty Scrapers / Edgers / Planters

Model	Description	Case Qty./ Wt.
A 92201	Sidewalk Scraper: Steel D-grip Handle. 11 Ga. Head: 6"x7", handle: (from head) 41", tool length: 46".	8/36
B 92200	Sidewalk Scraper: Steel Long Handle. 11 Ga. Head: 6"x7", handle: (from head) 50", tool length: 57".	8/42
C 92202	Square Edger/Root Cutter. Steel Long Handle. 7 Ga., beveled blade, 1" solid handle. Head: 8"x6", handle: (from head) 53", tool length: 59".	4/60
D 92381	Dibble Bar. Steel T-style Handle. 3/8" thick steel bar, plant up to 12" deep. Head: 3/8"x10", handle: (from head) 27", tool length: 38.125".	4/34
E 92389	Sapling Planter. Steel T-style Handle. 1" Diameter beveled tube for planting and core samples up to 6". Head: 6", handle: (from head) 34", tool length: 40.625".	5/32



## Heavy Duty Scrapers

Model	Description	Case Qty./ Wt.
A 92424	4" Scraper: Fiberglass Long Handle. 7 Ga., beveled head. Head: 4"x9", handle: (from head) 50", tool length: 59".	8/31
B 92423	4" Scraper: Fiberglass D-grip Handle. 7 Ga., beveled head. Head: 4"x9", handle: (from head) 40", tool length: 49.5".	8/30
C 92426	7" Scraper: Fiberglass Long Handle. 7 Ga., beveled head. Head: 7"x9", handle: (from head) 50", tool length: 59".	8/36
D 92425	7" Scraper: Fiberglass D-grip Handle. 7 Ga., beveled head. Head: 7"x9", handle: (from head) 40", tool length: 49.5".	8/34



72"

Two-piece designs store easily.



## Asphalt and Concrete Tools

Model	Description	Case Qty./ Wt.
A 92308	16" Asphalt Rake. Two-Piece Fiberglass Handle. 7 Ga., 14 tines, 24" 1/2" diameter steel shank. Head: 16"x4", handle: (from head) 71.5, tool length: 72". (ships disassembled)	5/27
B 92421	30" Asphalt Lute. Fiberglass Handle. 14 Ga., bolted on head. Head: 30"x3.5", handle. (from head) 62.5", tool length: 62.75". (ships disassembled)	4/25
C 92422	36" Asphalt Lute. Fiberglass Handle. 14 Ga., bolted on head. Head: 36"x3.5", handle: (from head) 62.5", tool length: 62.75". (ships disassembled)	4/27
D 92411	30" Serrated Asphalt Lute. Fiberglass Handle. 14 Ga., 30 teeth, bolted on head. Head: 30"x3.5", handle: (from head) 62.5", tool length: 62.75". (ships disassembled)	4/25
E 92412	36" Serrated Asphalt Lute. Fiberglass Handle. 14 Ga., 36 teeth, bolted on head. Head: 36"x3.5", handle: (from head) 62.5", tool length: 62.75". (ships disassembled)	4/27



## Asphalt and Concrete Tools

Model	Description	Case Qty./ Wt.
A 92430	Concrete Placer. Fiberglass Handle. 14 Ga. Head: 20"x35", handle: (from head) 59.25", tool length: 59.5". (ships disassembled)	4/24
B 92420	Concrete Placer with Wire Hook. Fiberglass Handle. 14 Ga. Head: 20"x35", handle: (from head) 59.25", tool length: 59.5". (ships disassembled)	4/24
C 92365	Mortar Hoe. Fiberglass Handle. 12 Ga. Head: 10"x6", handle: (from head) 57", tool length: 57.25".	6/30
D 92360	Mason Hoe. Fiberglass Handle. 12 Ga. Head: 6.5"x4.25", handle: (from head) 57", tool length: 57.25".	6/22
E 92419	Short Mortar Hoe. Fiberglass Handle. 12 Ga. Head: 6.5"x4.25", handle: (from head) 17.5", tool length: 21".	5/13
F 92375	Not Shown - Mortar Hoe. Fiberglass Handle. 12 Ga. Head: 10"x6", handle: (from head) 65.75", tool length: 66".	8/43



Blades sharpen easily with a file or grinder.



Resharpener. No replacement blades required.



Chiseled head removes tile set in mortar beds quickly and easily.



## Flooring Material Removers

Model	Description	Case Qty./ Wt.
A 91300	Floor Bully Flooring Scraper. Fiberglass Handle. 11 Ga., 6" width, resharpenes with a file or grinder. Head: 6"x7", handle: (from head) 50", tool length: 57".	7/26
B 91340	Big Bully Flooring Scraper. Fiberglass Handle. 11 Ga., 12" width, resharpenes with a file or grinder. Head: 12"x7", handle: (from head) 50", tool length: 57".	5/22
C 91350	Floor Bully, Jr. Scraper. Steel Handle. 11 Ga., 2" width, resharpenes with a file or grinder. Head: 2"x3.5", handle: (from head) 9", tool length: 13.875".	5/6
D 91325	Tile Bully Tile Breaker. Fiberglass Handle. 3/8" Thick head, resharpenes with a file or grinder. Breaks up tile, slate, etc. Head: 3"x9", handle: (from head) 44.5", tool length: 53.625".	4/26



Hammer point gets you through the toughest material.



Multi-use demolition tool



Straightens warped and twisted lumber prior to nailing.



## Roofing Material Removers

Model	Description	Case Qty./ Wt.
A 81250	Demolition Bully Wrecking Bar. Steel Handle. 7 Ga., beveled teeth, 1" diameter handle, hammer block to get under tough materials. Head: 4"x8", handle: (from head) 19.5", tool length: 21.65".	4/17
B 91109	Shingle Bully. Steel Handle. 10 Ga., beveled teeth, 1" diameter handle. Head: 9.75"x11", handle: (from head) 50, tool length: 57.5".	6/45
C 91110	ProShingle. Fiberglass D-grip Handle. 10 Ga., notched teeth, replaceable blade. Head: 9", handle: (from head) 40", tool length: 44.75".	5/29
D 91115	Replacement Blade for 91110.	5/11
E 91400	Stud Tuner Lumber Straightener. Steel Handle. 1" dia. Handle, U-shaped head, hold 2x4s in place during nailing. Handle: (from head) 20", tool length: 23.625".	6/19



Four-position adjustable head to suit your height or roof pitch.



Milled teeth pull nails better than notched teeth.

# Roofing Material Removers

Model	Description	Case Qty./Wt.
A 91101	Shingle Remover. Steel D-grip Handle. 11 Ga., 7 beveled teeth. Head: 7.5"x7.25", handle: (from head) 21", tool length: 27".	5/21
B 91102	Shingle Remover. Fiberglass Long Handle. 11 Ga., 7 beveled teeth. Head: 7.5"x7.25", handle: (from head) 50.5", tool length: 57.375".	5/32
C 91108	Shingle Remover. Steel Long Handle. 11 Ga., 7 beveled teeth. Head: 7.5"x7.25", handle: (from head) 50.75", tool length: 57".	5/23
D 91105	Shingle Remover. Fiberglass D-grip Handle. 11 Ga., 7 beveled teeth. Head: 7.5"x7.25", handle: (from head) 41", tool length: 47.25".	5/22
E 91103	Adjustable Shingle Remover: Fiberglass D-grip Handle. 11 Ga., adjustable head allows for different roof pitches, 7 beveled teeth. Head: 7.5"x7.25", handle: (from head) 41", tool length: 43.5".	6/29



## Fire Tools

Model	Description	Case Qty./ Wt.
A 99001	Drywall Hook. Fiberglass D-grip Handle. 7 Ga., 5.25" head, four sharpened teeth, 7.5" long blade for removing wallboard. Grip set 90° from double bolted head. Handle: (from head) 48", tool length: 53.5".	4/22
B 99104	Fire Rake. Fiberglass Long Handle. 12 Ga., four 3.5" sharpened teeth. Handle: (from head) 59", tool length: 59.25".	5/27
C 99106	Four Replacement Teeth for Fire Rake. 12 Ga.	5/7
D 99003	Rubbish Hook. Fiberglass D-grip Handle. ½" Diameter prongs set 6" apart, 6" long. Grip set 90° from the head. Handle: (from head) 55", tool length: 60".	4/19
E 99002	Pike Pole. Fiberglass D-grip Handle. 7 Ga., 5" sharpened (double bolted) head. Handle: (from head) 63", tool length: 68.75".	5/18
F 99004	Wall Ripper. Fiberglass D-grip Handle. 12 Ga., 9"x2.25" head with four sharpened teeth on two plates. Grip set 90° from bolted head. Handle: (from head) 58.5", tool length: 69.25".	5/24



## Municipal Tools

Model	Description	Case Qty./ Wt.
A 99200	24" Manhole Cover Hook. Steel T-style Handle. 1/2" Diameter Steel, 4" hook.	5/12
B 99201	36" Manhole Cover Hook. Steel T-style Handle. 1/2" Diameter Steel, 4" hook.	5/16
C 99202	36" Soil Probe. Steel T-style Handle. 1/2" Diameter Steel, sharpened tip.	5/18
D 99203	48" Soil Probe. Steel T-style Handle. 1/2" Diameter steel, sharpened tip.	5/21
E 99204	60" Soil Probe. Steel T-style handle. 1/2" Diameter steel, sharpened tip.	5/24
F 99208	60" Water Key. Steel T-style Handle. 1/2" Diameter steel, 3/8" key opening.	5/25
G 99207	48" Water Key. Steel T-style Handle. 1/2" Diameter steel, 3/8" key opening.	5/22
H 99206	36" Water Key. Steel T-style Handle. 1/2" Diameter steel, 3/8" key opening.	5/19
I 99205	12" Water Key. Steel T-style Handle. 1/2" Diameter steel, 3/8" key opening.	5/15

# MERCHANDISING



Not available for general distribution.



UPC: 7-35390 + Model# and Check Digit (7-35390-72515-7)

Pg./ Pos.	Model# UPC	Pg./ Pos.	Model# UPC	Pg./ Pos.	Model# UPC	Pg./ Pos.	Model# UPC	Pg./ Pos.	Model# UPC	Pg./ Pos.	Model# UPC		
6A	72515-7	12A	92719-3	16A	92316-4	19A	92344-7	22A	92150-4	25A	92626-4	30A	91300-4
6B	72525-6	12B	92720-9	16B	92320-1	19B	92347-8	22B	92159-7	25B	92370-6	30B	91340-0
6C	72530-0	12C	92721-6	16C	92313-3	19C	92345-4	22C	92151-1	25C	92373-7	30C	91350-9
6D	72502-2	12D	92722-3	16D	92315-7	19D	92355-3	22D	92153-5	25D	92341-6	30D	91325-7
7A	72510-2	12E	92730-8	16E	92308-9	19E	92349-2	22E	92158-0	25E	92342-3	31A	81250-5
7B	72520-1	12F	92731-5	16F	92116-0	19F	92352-2	22F	92505-2	26A	92201-3	31B	91109-3
7C	72535-5	13A	72600-0	16G	92120-7	19G	92322-5	22G	92152-8	26B	92200-6	31C	91110-9
7D	72500-3	13B	72611-6	16H	92113-9	19H	92356-0	22H	92154-2	26C	92202-0	31D	91115-4
8A	82515-4	13C	92705-6	16I	92115-3	19I	92358-4	23A	92393-5	26D	92381-2	31E	91400-1
8B	82525-3	13D	92700-1	17A	92311-9	20A	92323-2	23B	92361-4	26E	92389-8	32A	91101-7
8C	82530-7	13E	92712-4	17B	92309-6	20B	92417-8	23C	92397-3	27A	92424-6	32B	91102-4
8D	82502-4	13F	72601-7	17C	92317-1	20C	92415-4	23D	92391-1	27B	92423-9	32C	91108-6
9A	82510-9	13G	72610-9	17D	92319-5	20D	92414-7	23E	92371-3	27C	92426-0	32D	91105-5
9B	82520-8	14A	92707-0	17E	92312-6	20E	92307-2	23F	92392-8	27D	92425-3	32E	91103-1
9C	82535-2	14B	92706-3	17F	92301-0	20F	92319-5	23G	92399-7	28A	92308-9	33A	99001-2
9D	82500-0	14C	92718-6	17G	92379-9	20G	92317-1	23H	92497-0	28B	92421-5	33B	99104-0
10A	92515-1	14D	92717-9	18A	92343-0	20H	92710-0	24A	92376-8	28C	92422-2	33C	99106-4
10B	92530-4	14E	92400-0	18B	92346-1	20I	92711-7	24B	92387-4	28D	92411-6	33D	99003-6
10C	92502-1	14F	92402-4	18C	92348-5	21A	92305-8	24C	92386-7	28E	92412-3	33E	99002-9
10D	92510-6	15A	92382-9	18D	92353-9	21B	92302-7	24D	92388-1	29A	92430-7	33F	99004-3
10E	92535-9	15B	92384-3	18E	92354-6	21C	92100-9	24E	92276-1	29B	92420-8	34A	99200-9
10F	92500-7	15C	92540-3	18F	92351-5	21D	92151-8	24F	92287-7	29C	92365-2	34B	99201-6
11A	92600-4	15D	92539-7	18G	92359-1	21E	92300-3	24G	92286-0	29D	92360-7	34C	99202-3
11B	92601-1	15E	92448-2	18H	92357-7	21F	92350-8	24H	92288-4	29E	92419-2	34D	99203-0
11C	92602-8			18I	92396-9			24I	92476-5	29F	92375-1	34E	99204-7
11D	92603-5			18J	92390-4			24J	92487-1			34F	99208-5
11E	92604-2							24K	92486-4			34G	99207-8
11F	92605-9							24L	92488-8			34H	99206-1
								24M	99300-6			34I	99205-4
								24N	99301-3				

\*FREE WITH QUALIFYING ORDER.

Buy Online at [www.toolsandsuppliesforless.net](http://www.toolsandsuppliesforless.net)



14 Technology Drive, Steubenville, OH 43952  
800-469-5522 • Fax 800-550-0996  
[www.bullytools.com](http://www.bullytools.com)  
Email: [bullytools@bullytools.com](mailto:bullytools@bullytools.com)



Effective dates 8/1/11-7/31/12

**Buy Online at [www.toolsandsuppliesforless.net](http://www.toolsandsuppliesforless.net)**